
# **Benches & Bleachers**













## TABLE OF CONTENTS



3 | WHY US



4 | TIP N ROLL BLEACHERS



5 | LOW RISE BLEACHERS



6-7 | NATIONAL SERIES BLEACHERS



8 | TRANSPORTABLE BENCHES



9 | ADA COMPLIANT BLEACHERS



10 | ELEVATED BLEACHERS



12 | BLEACHER COMPONENTS



13 | RENOVATIONS



14 | PICNIC TABLES




15 | BENCHES









## ALUMINUM BLEACHERS, BENCHES, & PICNIC TABLES



- From custom design to quick ship products, we have the best selection in spectator seating solutions
- Our in-house team handles every detail, including design, engineering, and building
- We are ADA and inclusion specialists
- Build from scratch or renovate your existing seating
- Made in the USA at our high-tech facility in Lakeland, Florida
- Personalized in-house support teams for fast service
- Competitive pricing to meet your budget
- CWB, AWS, and LA Certified Fabricator Certifications

# TIP N' ROLL BLEACHERS











# 2, 3 & 4 - ROW TIP N' ROLL BLEACHERS

Tip N' Roll Bleachers are useful when extra event seating is needed. Non-marring rubber foot pads are standard to protect floors.


**Standard Model** (1) single 2"x10" Mill Finish Foot Plank **Preferred Model** (2) double 2"x10" Mill Finish Foot Planks

- 3-Row Preferred Model Bleacher(2) double 2"x10" foot planks
- 2 The systems are easily tipped up onto swivel casters for ease of movement. The aluminum frames reduce weight for easier lifting.
- 4-Row Preferred Model Bleacher(2) double 2"x10" foot planks
- 4 Exclusive 4-Row Outrigger adds stability when tipped up for movement. (4-Row model only)

	TIP N ROLL	VS	LOW RISE TIP N RO	) L L
FIRST SEAT HEIGHT	17''		11 5''	

FIRST SEAT HEIGHT	17''	11.5''
SEAT PLANKS	2 X 10 ′ ′	2 X 12''

ROWS	LENGTH	SEAT CAPACITY	WEIGHT	FIRST SEAT	RISE	WIDTH	HEIGHT
2	7′6″	10	121	17	8	2'-2''	3'-3''
2	9′	12	145	17	8	2'-2''	3'-3''
3	12′	24	219	17	8	2'-5''	5'-0''
3	24′	48	479	17	8	2'-5''	5′-0′′
3	12′	24	232	11.5	6	2'-0''	4'-2''
3	15′	30	310	11.5	6	2'-0''	4'-2''
4	15′	40	371	11.5	6	2'-6''	7′-1′′
4	12′	32	403	11.5	6	2'-6''	7'-1''
	2 2 3 3 3 3 3 4	2 7'6" 2 9' 3 12' 3 24' 3 12' 4 15'	ROWS LENGTH CAPACITY  2 7'6" 10 2 9' 12 3 12' 24 3 24' 48 3 12' 24 0 3 15' 30 4 15' 40	ROWS LENGTH CAPACITY WEIGHT  2 7'6" 10 121 2 9' 12 145 3 12' 24 219 3 24' 48 479 3 12' 24 232 0 3 15' 30 310 4 15' 40 371	ROWS         LENGTH         CAPACITY         WEIGHT         SEAT           2         7'6"         10         121         17           2         9'         12         145         17           3         12'         24         219         17           3         24'         48         479         17           3         12'         24         232         11.5           0         3         15'         30         310         11.5           4         15'         40         371         11.5	ROWS LENGTH CAPACITY WEIGHT SEAT RISE  2 7'6" 10 121 17 8 2 9' 12 145 17 8 3 12' 24 219 17 8 3 24' 48 479 17 8 3 12' 24 232 11.5 6 0 3 15' 30 310 11.5 6 4 15' 40 371 11.5 6	ROWS         LENGTH         CAPACITY         WEIGHT         SEAT         RISE         WIDTH           2         7'6"         10         121         17         8         2'-2"           2         9'         12         145         17         8         2'-2"           3         12'         24         219         17         8         2'-5"           3         24'         48         479         17         8         2'-5"           3         12'         24         232         11.5         6         2'-0"           3         15'         30         310         11.5         6         2'-0"           4         15'         40         371         11.5         6         2'-6"





Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.

# LOW RISE BLEACHERS





4-ROW LOW RISE "PREFERRED MODEL" BLEACHER



4-ROW LOW RISE "STANDARD MODEL"

# LOW RISE BLEACHERS: STANDARD MODELS

- Top seat height under 30" high
- First seat height under 12" high
- 6" rise/24" run per row
- 2"x 12" anodized seat plank
- (1) 2"x10" mill finish foot plank all rows
- 5 row unit has vertical picket guardrail

### STANDARD MODELS

ROW	AVAILABLE LENGTHS	SEATING COUNT
3	15/21/24	30/42/48
4	15/21/24	40/56/64
5	15/21/24	50/70/80

# LOW RISE BLEACHERS: PREFERRED MODELS

Includes the same features as the 3-4 row Low Rise Bleachers Standard Model but features double foot planks on all rows.

### PREFERRED MODELS

ROW COUNT	AVAILABLE LENGTHS	SEATING COUNT
3	15/21/24	30/42/48
4	15/21/24	40/56/64
5	15/21/24	50/70/80



DETAIL OF DOUBLE FOOT PLANKS ON THE "PREFERRED MODEL" BLEACHER



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads

## NATIONAL SERIES BLEACHERS

These non-elevated bleachers are available in a variety of lengths and row counts. Great for groups of up to 200 people.



CUSTOMIZED STANDARD MODEL

# NATIONAL SERIES: STANDARD MODELS

- 17" first seat height
- 6" rise per row on 3 row option
- 8" rise per row on 5 row and above
- Top seat height under 30"
- 2"x10" anodized seat plank
- (1) 2"x10" mill finish foot plank on rows 2 & 3
- (2) 2x10 mill finish foor plank on rows 4 and up



3, 5 & 10 - ROW PREFERRED MODEL BLEACHERS INCLUDE ALL THE FEATURES OF THE STANDARD MODELS PLUS (2) 2"X10" MILL FINISH FOOT PLANK ON ROWS 2-3 TO PROVIDE MORE SECURE FOOTING

# NATIONAL SERIES: PREFERRED MODELS

- Featuring added foot planks for large stepping area
- 17" first seat height
- 8" rise per row for 5, 8, and 10 row models
- 2"x10" anodized seat plank
- Chainlink guardrail system included with 5, 8, and 10 row models
   Vertical picket guardrail upgrade availableplank (rows 2 -3)
- (2) 2"x10" mill finish aluminum foot plank
- (1) 1"x6" riser plank rows 4 & up
- (2) 1"x6" riser plank (top row)



AVAILABLE LENGTHS	SEATING COUNT	GUARDRAIL
7.5/12/15/21/24/27	15/24/30/48/48/54	NO
15/21/24/27/30	50/70/80/90/100	YES
15/21/24/27/30	80/112/128/144/160	YES
15/21/24/27/30	100/140/160/180/200	YES
	LENGTHS 7.5/12/15/21/24/27 15/21/24/27/30 15/21/24/27/30	LENGTHS SEATING COUNT  7.5/12/15/21/24/27 15/24/30/48/48/54  15/21/24/27/30 50/70/80/90/100  15/21/24/27/30 80/112/128/144/160



ROW COUNT	AVAILABLE LENGTHS	SEATING COUNT	GUARDRAIL
3	7.5/12/15/21/24/27	15/24/30/48/48/54	NO
5	15/21/24/27/30	50/70/80/90/100	YES
8	15/21/24/27/30	80/112/128/144/160	YES
10	15/21/24/27/30	100/140/160/180/200	YES









RISER PLANKS ON ALL ROWS

# NATIONAL SERIES: DELUXE MODELS

Deluxe Model Bleacher includes all the features of the Preferred Model plus:

- Aisles with anodized aluminum handrails and contrasting nosing
- 1" x 6" riser plank on all rows
- Double foot planks on all rows

ROW COUNT	AVAILABLE LENGTHS	SEATING COUNT	GUARDRAIL
3	21/24/27	36/42/48	NO
5	15/21/24/27/30	42/58/68/74/84	YES
8	15/21/24/27/30	66/91/107/116/132	YES
10	15/21/24/27/30	82/113/133/144/164	YES

# NATIONAL SERIES OPTIONAL UPGRADES

- Powder Coating
- Vertical Picket Guardrails
- Galvanized Steel Frame



VERTICAL PICKET GUARDRAIL SYSTEM




### ADD SCHOOL COLORS!

4 stock color planks available in 7.5′, 12′, 15′, and 24′ lengths. Other special order colors and lengths available - ask a representative for details All bleacher systems are available with aluminum or galvanized steel angle frames.

Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads

### TRANSPORTABLE BLEACHERS









10-ROW DELUXE MODEL TRANSPORTABLE BLEACHER

## 5 & 10 - ROW TRANSPORTABLE BLEACHERS

Transportable Bleachers are designed to withstand the rigors of movement (fitted with additional horizontal steel lifting braces and cross bracing for support).

- Available as: Standard, Preferred, or Deluxe models
- 15' systems are available as Standard or Preferred models only
- Galvanized steel upgrades available
- Not designed for travel over 5 MPH



### **HEAVY-DUTY TRANSPORT KIT**

Required with 10-Row systems. Includes: Wheels, Integrated Hydraulic Jack, and Tongue Assembly.

**5-Row -** Requires Light-duty transport kit **10-Row -** Requires Heavy-Duty Transport Kit



### LIGHT-DUTY TRANSPORT KIT

Required with 5 row systems. Includes: Wheel, Mechanical Jack, and Tongue Assembly. One kit can be purchased to move multiple Transportable Bleachers.

**5-Row -** Requires Light-Duty Transport Kit **10-Row -** Requires Heavy-Duty Transport Kit

# The Smart Solution for the budget-minded. Transport from one location to the next!

#### STANDARD MODELS

LENGTH	AVAILABLE ROW COUNTS	SEAT	AISLE	GUARDRAIL
15′	5/10	50/100	NO	YES
21′	5/10	70/140	NO	YES
24'	5/10	80/160	NO	YES

Includes 2"x10" anodized seat plank, single (1) 2"x10" mill finish foot planks on rows 2-3 and double (2) 2"x10" foot planks and riser plank on rows 4 and above.

### PREFERRED MODELS

LENGTH	AVAILABLE ROW COUNTS	SEAT	AISLE	GUARDRAIL
15′	5/10	50/100	NO	YES
21′	5/10	70/140	NO	YES
24'	5/10	80/160	NO	YES

Includes anodized seat plank, double (2) 2"x10" mill finish foot planks on all rows and riser plank on rows 4 and above.

### DELUXE MODELS

LENGTH	AVAILABLE ROW COUNTS	SEAT	AISLE	GUARDRAIL
21′	5/10	58/113	YES	YES
24'	5/10	68/133	YES	YES

Includes anodized seat plank, double (2) mill finish foot planks and riser plank on all rows.



ADA Series Bleachers feature wheelchair seating areas with companion seating to meet ADA accessibility requirements. Available with chainlink or vertical picket guardrail.



5-ROW X 15' VERTICAL PICKET GUARDRAIL



5-ROW X 19' 6" CHAINLINK GUARDRAIL



5-ROW X 27' CHAINLINK GUARDRAIL

Be sure your current bleachers are inclusive for all spectators! Renovate existing bleachers to meet ADA compliance standards!

### SUPERIOR SEAT SERIES

- Seats with back rests for more comfort
- Closed deck system for easier maintenance
- 14" rise per row for superior line of sight
- 36" run for additional leg room and more comfort
- Aisle with center handrail for easier access to upper rows
- All-aluminum vertical picket guardrail for a safer non-climbable system
- Available in 4 and 8 row models in lengths of 19'-6", 25'-6", and 31'-6"



# **ELEVATED AND CUSTOM BLEACHERS**

Give your audience "the best seat in the house"



AMERICAN LEADERSHIP ACADEMY

### **ELEVATED BLEACHERS**

"Elevated Bleachers" is a term used to describe a type of bleacher where feet rest at the height of the elevated front walkway on the first row of seats. Several elevation heights are available. These elevations require entry stairs and front guardrail. An accessible ramp may also be required with ADA seating.

- Front walkway with railing
- Chainlink or vertical picket guardrail
- Aisles with anodized aluminum handrail
- Entry stairs with contrasting nosing
- Anodized aluminum seat plank
- (2) 2"x10" mill finish foot plank on all rows
- 1"x 6" riser plank on all rows and (2) 1"x 6" riser plank on top rows
- Various front walkway elevations available

ROWS	DEPTH	HEIGHT
5	15′2″	10′10″
8	21' 2"	12′10″
10	25' 2"	14′2″
12	29' 2"	15′ 6″
13	31' 2"	16′2″
15	35' 2"	17′ 6″
20	45'2"	20'10"

Based on a 36" elevated front walkway



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.



LUTHERAN HIGH NORTHWEST ROCHESTER HILLS, MI



SOUTHERN LOUISIANA UNIVERSITY HAMMOND, LA





GOLDEN NUGGET CASINO LAKE CHARLES, LA

### **COMMON SEATING LAYOUTS**

Ask your representative about the many other seating layouts available.

ROWS	LENGTH	SEATS	ADA SEATS
5	39′	102	4
5	61′ 6″	155	5
5	103'6"	283	5
10	91′ 6″	497	6
10	133' 6"	740	8
10	175′ 6″	983	10
15	91′6″	745	8
15	121' 6"	993	10
15	175′6″	1,475	13
20	91′6″	993	10
20	181′ 6″	1,982	16
20	271′6″	3,034	24

## **CUSTOM OPTIONS**



POWDER COATING



CONTOUR SEATING



FRAME SKIRTING



AISLE WITH HANDRAIL



PRESS BO



ADA ACCESSIBLE RAMP



ADA WHEELCHAIR SECTIO




ENTRY STAIRS




VERTICAL PICKET GUARDRAIL

# **BLEACHER COMPONENTS**

### **SEAT OR FOOT PLANKS**





L Bracket Z Bracket T Bracket



### FROM THIS...







ALL OPENINGS CLOSED TO LESS THAN 4" FOR COMPLIANCE

### **UPDATING BLEACHERS TO CODE**

Update old non-compliant bleachers to today's building and safety codes and eliminate maintenance of old wood planking. Many bleachers can be retrofitted using the existing framework by adding maintenance free aluminum planking to replace deteriorated wood planks and close non-compliant openings.

ADD SCHOOL COLORS! many other special order colors available

# OPTIONS TO MEET CODE REQUIREMENTS

- ADA Accessibility
- Guardrails
- · Aisles & handrails
- Openings closed to 4" or less
- Number of exits



ADA COMPLIANT WHEELCHAIR ACCESSIBILITY

# PICNIC TABLES

**Aluminum or Steel Legs** 





PT-SG08

### **PICNIC TABLES**

Picnic Tables are constructed with lightweight and maintenance-free aluminum. Tables are available with aluminum legs, standard duty steel legs, or heavy duty steel legs.

MODEL	LENGTH	DESCRIPTION
PT-AP06	6′	ALL ANODIZED ALUMINUM
PT-AP08	8′	ALL ANODIZED ALUMINUM
PT-AP09HC	9′	ALL ANODIZED ALUMINUM (CENTER ACCESSIBLE)
PT-AP08HC	8′	ALL ANODIZED ALUMINUM (ACCESSIBLE END)
PT-AP10HC	10′	ALL ANODIZED ALUMINUM (ACCESSIBLE END)
MODEL	LENGTH	DESCRIPTION
MODEL PT-SG06	LENGTH	DESCRIPTION STANDARD DUTY STEEL LEG TABLE
PT-SG06	6′	STANDARD DUTY STEEL LEG TABLE
PT-SG06 PT-SG08	6′ 8′	STANDARD DUTY STEEL LEG TABLE STANDARD DUTY STEEL LEG TABLE

MODEL	LENGTH	DESCRIPTION
PT-HG06	6′	HEAVY DUTY STEEL LEG TABLE
PT-HG08	8′	HEAVY DUTY STEEL LEG TABLE
PT-HG09HC	9′	HEAVY DUTY STEEL LEG TABLE (CENTER ACCESSIBLE)
PT-HG08HC	8′	HEAVY DUTY STEEL LEG TABLE (ACCESSIBLE END)
PT-HG10HC	10′	HEAVY DUTY STEEL LEG TABLE (ACCESSIBLE END)



**Standard Duty** - 1-5/8" O.D. steel legs **Heavy Duty** - 2-3/8" O.D. steel legs



(DIVING BOARD STYLE) PT-HG08HC



PT-APO9HC

# BENCHES Aluminum or Steel Legs



7'-6" ALL ALUMINUM SCORER'S TABLE

All benches are available in 6', 7'-6", 8', 12', 15', 21', and 24'.

Aluminum Benches are available with or without Powder Coated seats, backrests and with multiple mounting options. We offer portable and permanent benches to meet any team or group need. Add your team colors with protective powder coat to improve appearance or to reduce glare.

MODEL	ALUMINUM LEGS
DI	PORTABLE BENCH W/O BACKREST
DB	PORTABLE BENCH (DBL. WIDE) W/O BACKREST
DG	PORTABLE BENCH W/ BACKREST
DGS	PORTABLE BENCH W/ BACKREST & SHELF
DD	PERMANENT BENCH W/O BACKREST
DE	LOCKER ROOM BENCH W/O BACKREST
ST	ALL ALUMINUM SCORER'S TABLE
MODEL	GALVANIZED STEEL LEGS
ΡΙ	PORTABLE BENCH W/O BACKREST
P D	PERMANENT BENCH W/O BACKREST
PE	SURFACE MOUNT BENCH W/O BACKREST
PB	PERMANENT BENCH W/BACKREST
PH	SURFACE MOUNT BENCH W/BACKREST
PG	PORTABLE BENCH W/BACKREST





DI BENCH



DB PORTABLE BENCH (DOUBLE WIDE)



PB PERMANENT BENCH W/BACKREST PE SURFACE MOUNT BENCH





DD PERMANENT BENCH



DE LOCKER ROOM BENCH W/O BACKREST SHOWN WITH OPTIONAL FOOT PADS



PI PORTABLE BENCH W/O BACKREST PD PERMANENT BENCH





DG PORTABLE BENCH W/BACKREST SHOWN WITH OPTIONAL FOOT PADS




DGS BENCH W/BACKREST & SHELF



PH SURFACE MOUNT BENCH W/BACKREST



PG PORTABLE BENCH W/BACKREST



Pioneer.
ATHLETICS

Pioneer Athletics
4529 Industrial Parkway
Cleveland, OH 44135
P: (800) 877-1500
www.pioneerathletics.com